


(*) To be opened in case of DHW enabled for the related HHP

- This schematic is for example only and does not replace design by a qualified technician;
- The final schematic must be prepared respecting all the laws, norms and decrees in force, in order to facilitate a correct installation in compliance with the rule of the art;
- For the proper functioning of all system components, follow the instructions in the design, installation and user manuals provided by the manufacturer;
- This outline may be amended by the Ariston Group at any time without prior notice.

SCHEME		
Hydraulic		
DATE	REV.	PAGE
24.7.2023.		1 / 3

SCHEME NAME
EN_019-5xPCM4.PL.M_HCD-CD1_BUF.4_1D






















- This schematic is for example only and does not replace design by a qualified technician;
- The final schematic must be prepared respecting all the laws, norms and decrees in force, in order to facilitate a correct installation in compliance with the rule of the art;
- For the proper functioning of all system components, follow the instructions in the design, installation and user manuals provided by the manufacturer;
- This outline may be amended by the Ariston Group at any time without prior notice.

SCHEME		
Electrical		
DATE	REV.	PAGE
24.7.2023.		2 / 3

SCHEME NAME
EN_019-5xPCM4.PL.M_HCD-CD1_BUF.4_1D

Pos.	Description
2	BUFFER TANK 4 ATTACKS WITH T PROBE
3	CIRCULATOR PWM
4	SYSTEM INTERFACE
5	EXTERNAL PROBE
6	LIGHT GATEWAY
7	IDU MONO WITH 3 WAY VALVE
8	HE KIT BELOW ODU
9	EXTERNAL UNIT HHP - MONOBLOC 1 -PH OR 3-PH
10	KIT ANTI-FREEZE
11	T PROBE
12	EXPANSION VESSEL - HEATING
13	HHP CASCADE MANAGER
14	IDU WH MONO
15	KIT SHUT-OFF VALVE

Legend	
Hydraulic	
	Hot water
	Cold water
	DHW hot water
	DHW cold water
	DHW mixed water
	DHW recirculation water
	Refrigerant fluid
	Gas connection
	Electric connection
Electric	
	BN Brown (L1)
	BU Blue (N)
	YG yellow green (PE)
	BK black (L2)
	GY Grey (L3)
	RD red
	Dry contact
	BUS connection
	Generic signal
	Sensor signal

ATTENTION:

The power supplies of each indoor and outdoor unit must be connected separately to dedicated residual-current circuit breakers as indicated in the installer manuals

- This schematic is for example only and does not replace design by a qualified technician;
- The final schematic must be prepared respecting all the laws, norms and decrees in force, in order to facilitate a correct installation in compliance with the rule of the art;
- For the proper functioning of all system components, follow the instructions in the design, installation and user manuals provided by the manufacturer;
- This outline may be amended by the Ariston Group at any time without prior notice.

SCHEME Legend		
DATE 24.7.2023.	REV.	PAGE 3 / 3

SCHEME NAME EN_019-5xPCM4.PL.M_HCD-CD1_BUF.4_1D
--