

(*) To be opened in case of DHW enabled for the related HHP




















- This schematic has to be considered as example of the system functionality only and does not replace design by a qualified technician;
- The final schematic must be prepared respecting all the laws, norms and decrees in force, in order to facilitate a correct installation in compliance with the rule of the art;
- For the proper functioning of all system components, follow the instructions in the design, installation and user manuals provided by the manufacturer;
- This outline may be amended by the Ariston Group at any time without prior notice.

- This schematic is for example only and does not replace design by a qualified technician;
 - The final schematic must be prepared respecting all the laws, norms and decrees in force, in order to facilitate a correct installation in compliance with the rule of the art;
 - For the proper functioning of all system components, follow the instructions in the design, installation and user manuals provided by the manufacturer;
 - This outline may be amended by the Ariston Group at any time without prior notice.

SCHEME
 Hydraulic
 15.1.2024.

PAGE
 1 / 3

SCHEME NAME
 EN_019-5xPCM4.PL.M_HCD-CD1_BUF.4_1D

| Legend | |
|---|-------------------------|
| Hydraulic | |
|  | Hot water |
|  | Cold water |
|  | DHW hot water |
|  | DHW cold water |
|  | DHW mixed water |
|  | DHW recirculation water |
|  | Refrigerant fluid |
|  | Gas connection |
|  | Electric connection |
| Electric | |
|  | BN Brown (L1) |
|  | BU Blue (N) |
|  | YG yellow green (PE) |
|  | BK black (L2) |
|  | GY Grey (L3) |
|  | RD red |
|  | Dry contact |
|  | BUS connection |
|  | Generic signal |
|  | Sensor signal |

- This schematic has to be considered as example of the system functionality only and does not replace design by a qualified technician;
- The final schematic must be prepared respecting all the laws, norms and decrees in force, in order to facilitate a correct installation in compliance with the rule of the art;
- For the proper functioning of all system components, follow the instructions in the design, installation and user manuals provided by the manufacturer;
- This outline may be amended by the Ariston Group at any time without prior notice.

- This schematic is for example only and does not replace design by a qualified technician;
- The final schematic must be prepared respecting all the laws, norms and decrees in force, in order to facilitate a correct installation in compliance with the rule of the art;
- For the proper functioning of all system components, follow the instructions in the design, installation and user manuals provided by the manufacturer;
- This outline may be amended by the Ariston Group at any time without prior notice.

SCHEME
Electrical
15.1.2024.

PAGE
3 / 3

SCHEME NAME

EN_019-5xPCM4.PL.M_HCD-CD1_BUF.4_1D